EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S259	51	(search$3 with application with backup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:36
S260	25	(search$3 with application with restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:40
S261	3	2004/0107199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:47
S262	1	10/707708	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:47
S263	1	2003/0220894	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:33
S264	3	"20030220894"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:34
S265	2	"20040107199"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:35
S266	3362	(restore$3 same (application with (file or data or record)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:48

EAST Search History

S26 7	284	S266 and (search$3 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:49
S26 8	52	S266 and ((search$3 with application) same match$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:56
S26 9	78	(search$3 with (application near2 program)) and (restore with (data or file or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 09:53
S27 0	2	"20030055812"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:03
S27 1	28	(search$3 with application) same (restore$3 with (file or data or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:05
S27 2	330	(restore$3 with (data near2 application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:05
S27 3	32	(restore$3 with (data near2 application near2 program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:19
S27 4	8	(search$3 with (application near2 program)) and (restor$3 with (application near2 data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:27

S27 5	1	(match$3 with PDA) same (restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:27
S27 6	16	(match$3 with model) same (restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:28
S27 7	60	(match$3 with program) same (restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:38
S27 8	749	(match$3 with restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:39
S27 9	73	(match$3 with restore).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:39
S28 0	10	(match$3 with restore) same (application near2 program$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:40
S28 1	25	(match$3 same restore) same (application near2 program$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:41
S28 2	157	"707"/$.ccls. and (match$3 same restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:32

S28 3	1	707/204 and ((application with correspond$3 with data) same (restore with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:33
S28 4	119	707/204 and ((application with data) same (restore with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:20
S28 5	16	(search$ with application with correspond with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:21
S28 6	0	(search$ with application with correspond with data) same restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:21
S28 7	873	707/204 and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:22
S28 8	44	707/204 and restore and (search$ same restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:30
S28 9	805	(application near2 programs) and (backup near2 file$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:31
S29 0	60	(application near2 programs) same (backup near2 file$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:31

S29 1	25	S290 and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:58
S29 2	8119	Aihara.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:58
S29 3	21	Aihara.in. and PDA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:58
S29 4	1	Aihara.in. and PDA and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:59
S29 5	207	shen.in. and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:59
S29 6	25	shen.in. and restore and backup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:59
S29 7	24	shen.in. and restore and backup and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:59
S29 8	19	shen.in. and restore and backup and time	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 15:35

S29 9	2	"6950836".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 15:41
S30 0	18	707/204 and (match$3 with restore)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 15:45
S30 1	517	(match$3 with restore)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 15:45
S30 2	28	(match$3 with restore) and "707"/$. ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:20
S30 3	0	11/356261	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:20
S30 4	1	11/356261	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:03
S30 5	246	(time near2 stamp) same duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:04
S30 6	277	(time near2 stamp$1) same duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:04
S30 7	8	(time near2 stamp$1) same duplicate same delete	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:05

S30 8	0	(707/204 or 707/202) and ((match$3 same version$1) same duplicate same delete)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:06
S30 9	5	(707/204 or 707/202) and (match$3 same duplicate same delete)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:06
S31 0	13	"707"/$.ccls. and (delete with duplicat$2 with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:16
S31 1	1	(nodes same cricuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:17
S31 2	0	(nodes same cricuit same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:18
S31 3	23457	(nodes same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:18
S31 4	3	(nodes same address) and cricuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:33

Google™

Web   Images   Video   News   Maps   **more »**

matching data application with data to restore | **Search** | <u>Advanced Search</u>
<u>Preferences</u>

Web Results 1 - **10** of about **1,080,000** for <u>matching</u> <u>data</u> <u>application</u> with <u>data</u> to <u>restore</u> the <u>data</u>. (0.25 se⟨

Storage Networking World Online - **Data** reduction for disk-based ...
This article focuses on the **application** of **data** reduction to disk-based backups. ... For
requests to **restore data** from an earlier backup file, ...
www.snwonline.com/evaluate/reduction_07-03-06.asp?article_id=704 - 34k -
<u>Cached</u> - <u>Similar pages</u>

Developing with Core **Data**
In essence, it's your blueprint for your **application's data** types and the relationships
between ... the undo manager can **restore** the state of the context. ...
developer.apple.com/macosx/coredata.html - 28k - <u>Cached</u> - <u>Similar pages</u>

How to Reinstall Windows Without Losing Your **Data**
If your **restore** CD is reformat-only, back up your **data** files to a network or a ... Search for it
in both your **Application Data** and oldstuff folders, ...
pcworld.about.com/magazine/2109p156id111652.htm - 30k - <u>Cached</u> - <u>Similar pages</u>

Identifying **Data** to Replicate
As a way to update **application data**. For example, you have two replica members, ... the
replica set and begin to replicate all files that **match** *.tmp. ...
207.46.196.114/WindowsServer/en/library/f95e4d7e-f4b8-4b1b-9950-
016bca5c51091033.mspx - 23k - <u>Cached</u> - <u>Similar pages</u>

Contents
Validating character encoding in request **data** · Supported wildcard pattern **matching**
characters · Web server response configuration ...
publib.boulder.ibm.com/infocenter/tivihelp/
v2r1/topic/com.ibm.itame.doc/rev/am60_webseal_admin02.htm - 207k -
<u>Cached</u> - <u>Similar pages</u>

Contents
Database file processing: **Data** recovery and integrity ... Trigger and **application** programs
that are under commitment control · Trigger and **application** ...
publib.boulder.ibm.com/iseries/v5r2/ic2924/info/dbp/rbafomst02.htm - 50k -
<u>Cached</u> - <u>Similar pages</u>
[<u>More results from publib.boulder.ibm.com</u>]

Mac OS X: How to back up and **restore** your files
If the **application** backs up **data** but does not have features specific to restoring the **data**, ...
which should **match** exactly the name of the user folder. ...
docs.info.apple.com/article.html?artnum=106941 - 31k - <u>Cached</u> - <u>Similar pages</u>

How to: **Restore** Team Foundation Server **Data**
Do not **restore** this database if the Team Foundation **data**-tier server is connecting to a
different Team Foundation **application**-tier server than the ...
msdn2.microsoft.com/en-US/library/ms252458(VS.80).aspx - 39k - <u>Cached</u> - <u>Similar pages</u>

Business Objects Announces BusinessObjects **Data** Quality XI
A **match** wizard that guides administrators through the process of designing and deploying
their **matching** strategies. **Data** Quality XI allows users to spend ...
www.businessobjects.com/news/press/press2006/20060731_**data**_quality_xi_prod.asp -

23k - Cached - Similar pages

Continuous **data** protection requires a clear purpose in the enterprise
In-band deployments exist in the **data** path between **application** servers and ... virus corruption or disk failure, a CDP platform can **restore** any number of ...
searchstorage.techtarget.com/generic/0,295582,sid5_gci1213376,00.html - 85k -
Cached - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Get organized for the new year with Google Desktop.

| matching data application with data | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google